

**Idaho Medicaid Preferred Drug List Recommendations  
November 18, 2016**

Idaho Medicaid makes the following recommendations for the Idaho Medicaid Preferred Drug List. These recommendations are based on the clinical recommendations of the Pharmacy and Therapeutics Committee from the October 21 and November 18 meetings and take into consideration public and prescriber input, utilization patterns and cost data.

| Therapeutic Class                     | Preferred Drugs   | Non-Preferred Drugs  |
|---------------------------------------|---|--|
| <b>ALZHEIMER'S DRUGS<sup>CL</sup></b> | donepezil <sup>CL</sup> –except 23 mg tablet<br>donepezil ODT <sup>CL</sup><br>EXELON (rivastigmine) transdermal <sup>CL</sup><br>memantine <sup>CL</sup> tablets<br>rivastigmine <sup>CL</sup> capsule   | donepezil 23 mg tablet <sup>CL</sup><br>EXELON (rivastigmine) Solution <sup>CL</sup><br>galantamine <sup>CL</sup><br>galantamine ER <sup>CL</sup><br><b>memantine soln<sup>CL</sup></b><br>NAMENDA (memantine) XR <sup>CL</sup><br><b>NAMENDA (memantine) Soln<sup>CL</sup></b><br>NAMZARIC (donepezil and memantine ER) <sup>CL</sup><br><b>rivastigmine transdermal<sup>CL</sup></b>   |
| <b>ANTI-ALLERGENS</b>                 |   | GRASTEK (Timothy grass pollen allergen extract) <sup>CL</sup><br>ORALAIR (grass pollen extract-Cocksfoot, Sweet Vernal Grass, Rye Grass, Meadow Grass, Timothy) <sup>CL</sup><br>RAGWITEK (Short Ragweed pollen allergen extract) <sup>CL</sup>  |
| <b>ANTICONVULSANTS</b>                | <u>Adjuvants, Epilepsy</u><br>APTIOM (eslicarbazepine) <sup>CL</sup><br>DEPAKOTE Sprinkle (divalproex) <sup>CL</sup><br>levetiracetam solution, tablets <sup>CL</sup><br>oxcarbazepine suspension <sup>CL</sup><br>oxcarbazepine tablets <sup>CL</sup><br>QUDEXY XR (topiramate ER) capsules <sup>CL</sup><br>topiramate ER tablet <sup>CL</sup><br>topiramate ER (for Qudexy XR) capsules <sup>CL</sup><br>topiramate sprinkles <sup>CL</sup><br>VIMPAT (lacosamide) tablets, soln <sup>CL</sup><br>zonisamide <sup>CL</sup> | BANZEL(rufinamide) tablets, suspension <sup>CL</sup><br><b>BRIVIACT (brivaracetam) tablets, soln<sup>CL</sup></b><br>divalproex sprinkle <sup>CL</sup><br>felbamate tablet, suspension <sup>CL</sup><br>FYCOMPA (perampanel) tablets, <b>suspension<sup>CL</sup></b><br>lamotrigine XR <sup>CL</sup><br>levetiracetam ER <sup>CL</sup><br>OXTELLAR XR (oxcarbazepine) <sup>CL</sup><br>POTIGA (ezogabine) <sup>CL</sup><br>SABRIL (vigabatrin) tablets, soln <sup>CL</sup><br><b>SPRITAM (levetiracetam) suspension<sup>CL</sup></b><br>tiagabine <sup>CL</sup><br>TROKENDI XR (topiramate ER) <sup>CL</sup> |

|  |  |  |
|--|--|--|
|  | <p><u>Adjuncts, Pain and Mood</u><br/> carbamazepine IR tablet<br/> carbamazepine chewable tablet<br/> carbamazepine ER (generic for CARBATROL)<br/> DEPAKOTE ER (divalproex)<br/> divalproex tablets<br/> gabapentin capsules, tablets<br/> GABITRIL (tiagabine)<br/> lamotrigine tablets<sup>CL</sup><br/> TEGRETOL (carbamazepine) suspension<br/> TEGRETOL XR (carbamazepine)<br/> topiramate tablets<sup>CL</sup><br/> valproate syrup<br/> valproic acid</p> <p><u>Barbiturates</u><br/> phenobarbital<br/> primidone</p> <p><u>Benzodiazepines</u><br/> clonazepam tablets<br/> DIASTAT (diazepam rectal)<br/> ONFI (clobazam ) tablets<sup>CL</sup></p> <p><u>Hydantoins</u><br/> DILANTIN (phenytoin) capsules, chewable tablets<br/> DILANTIN INFATAB (phenytoin)<br/> PEGANONE (ethotoin)<br/> phenytoin capsule, suspension<br/> phenytoin sodium extended (for PHENYTEX)</p> <p><u>Succinimides</u><br/> CELONTIN (methosuximide)<br/> ethosuximide syrup<br/> ZARONTIN (ethosuximide) capsules</p> | <p>carbamazepine suspension<br/> carbamazepine XR (generic for TEGRETOL XR)<br/> divalproex ER<br/> EQUETRO (carbamazepine ER)<br/> LAMICTAL ODT (lamotrigine)<sup>CL</sup><br/> lamotrigine ODT<sup>CL</sup></p> <p>clonazepam ODT<sup>CL</sup><br/> diazepam rectal<br/> ONFI (clobazam) suspension<sup>CL</sup></p> <p>DILANTIN (phenytoin) suspension</p> <p>ethosuximide capsules</p> |
|--|--|--|

|  |  |  |
|--|--|--|
| <b>ANTIDEPRESSANTS, OTHER</b>                  | bupropion IR<br>bupropion SR<br>bupropion XL<br>mirtazapine tablets<br>trazodone<br>venlafaxine IR<br>venlafaxine ER capsules                            | APLENZIN (bupropion HBr)<br>desvenlafaxine ER<br>desvenlafaxine fumarate ER<br>duloxetine <sup>CL</sup><br>EMSAM (selegiline) transdermal <sup>CL</sup><br>FETZIMA (levomilnacipran)<br>FORFIVO XL (bupropion)<br>IRENKA (duloxetine) <sup>CL</sup><br>KHEDEZLA (desvenlafaxine)<br><b>MARPLAN (isocarboxazid)</b><br>mirtazapine ODT<br>nefazodone<br>OLEPTRO ER (trazodone)<br><b>PARNATE (tranylcypromine)</b><br>phenelzine<br><b>PRISTIQ (desvenlafaxine succinate)</b><br>tranylcypromine<br>TRINTELLIX (vortioxetine)<br>venlafaxine ER tablets<br>VIIBRYD (vilazodone) |
| <b>ANTIDEPRESSANTS, SSRIs</b>                  | citalopram tablets, solution<br>escitalopram tablets<br>fluoxetine capsules, <b>tablets</b> , solution<br>fluvoxamine<br>paroxetine tablet<br>sertraline | BRISDELLE (paroxetine) <sup>CL</sup><br>escitalopram solution<br>fluoxetine weekly <sup>CL</sup><br>fluvoxamine ER<br>paroxetine CR<br>PAXIL suspension (paroxetine)<br>PEXEVA (paroxetine)<br>PROZAC (fluoxetine) weekly <sup>CL</sup>  |
| <b>ANTI-HISTAMINES,<br/>MINIMALLY SEDATING</b> | cetirizine solution, tablets<br>loratadine solution, tablets<br>loratadine ODT   | cetirizine capsule OTC<br>cetirizine chewable<br>desloratadine<br>desloratadine ODT<br>fexofenadine<br>levocetirizine  |
| <b>ANTIHYPERURICEMICS</b>                      | allopurinol<br>probenecid<br>probenecid/colchicine   | colchicine <sup>CL</sup><br>COLCRYS (colchicine) <sup>CL</sup><br><b>MITIGARE (colchicine)<sup>CL</sup></b><br>ULORIC (febuxostat) <sup>CL</sup><br><b>ZURAMPIC (lesinurad)<sup>CL</sup></b>   |

|                              |   |   |
|------------------------------|---|---|
| <b>ANTIPARKINSON'S DRUGS</b> | amantadine capsules, syrup<br>benztropine<br>bromocriptine<br>carbidopa/levodopa tablets<br>carbidopa/levodopa ER<br>carbidopa/levodopa/entacapone<br>pramipexole IR<br>ropinirole IR<br>selegiline<br>trihexyphenidyl  | amantadine tablet<br>AZILECT (rasagiline)<br>carbidopa<br>carbidopa/levodopa ODT<br>entacapone<br>MIRAPEX ER (pramipexole)<br>NEUPRO (rotigotine) transdermal<br>pramipexole ER<br>ropinirole ER<br>RYTARY (carbidopa/levodopa ER)<br>TASMAR (tolcapone)<br>tolcapone<br>ZELAPAR (selegiline) disintegrating tablet   |
| <b>ANTIPSYCHOTICS</b>        | <b>aripiprazole tablets</b><br>chlorpromazine<br>clozapine<br>FAZACLO (clozapine ODT)<br>fluphenazine<br>haloperidol<br>loxapine<br>olanzapine<br>olanzapine ODT<br>ORAP (pimozide)<br>perphenazine<br>perphenazine/amitriptyline<br>quetiapine<br>risperidone solution, tablets, <b>ODT</b><br>SEROQUEL XR (quetiapine)<br>thiothixene<br>trifluoperazine<br>ziprasidone<br><br><b>Injectable:</b><br><b>ABILIFY MAINTENA (aripiprazole)<sup>CL</sup></b><br>aripiprazole <sup>CL</sup><br>fluphenazine<br>GEODON (ziprasidone)<br>haloperidol<br>INVEGA SUSTENNA (paliperidone) <sup>CL</sup><br>INVEGA TRINZA (paliperidone) <sup>CL</sup> | <b>aripiprazole disintegrating tablet</b><br>ADASUVE inhalation (loxapine)<br>aripiprazole solution<br>clozapine ODT<br>FANAPT (iloperidone)<br>INVEGA (paliperidone ER)<br><b>LATUDA (lurasidone)</b><br>molindone<br><b>NUPLAZID (pimavanserin)</b><br>olanzapine/fluoxetine (must use individual agents)<br><b>paliperidone ER</b><br><b>pimozide</b><br>REXULTI (brexpiprazole)<br>SAPHRIS (asenapine)<br>thioridazine<br>VERSACLOZ (clozapine)<br><b>VRAYLAR (cariprazine)</b><br><br><b>ARISTADA (aripiprazole)<sup>CL</sup></b><br>ZYPREXA RELPREVV (olanzapine) <sup>CL</sup> |

|                                      |  |  |
|--------------------------------------|--|--|
|                                      | olanzapine<br>RISPERDAL CONSTA (risperidone) <sup>CL</sup>   |  |
| <b>ATOPIC DERMATITIS</b>             | ELIDEL (pimecrolimus)  | PROTOPIC (tacrolimus)<br>tacrolimus  |
| <b>BOTULINUM TOXINS</b>              | BOTOX (onabotulinumtoxinA) <sup>CL</sup> -<br>except for cervical dystonia<br>DYSPOREX (abobotulinumtoxinA) <sup>CL</sup><br>MYOBLOC (rimabotulinumtoxinB) <sup>CL</sup><br>XEOMIN <sup>CL</sup> (incobotulinumtoxinA) <sup>CL</sup>                 | BOTOX (onabotulinumtoxinA)-for<br>cervical dystonia <sup>CL</sup>  |
| <b>BRONCHODILATORS, BETA AGONIST</b> | <b>Inhalers, Short-Acting:</b><br>PROAIR HFA (albuterol)<br>PROVENTIL HFA (albuterol)<br><br><b>Inhalers, Long-Acting:</b><br>SEREVENT (salmeterol) <sup>CL</sup><br><br><b>Inhalation Solution:</b><br>albuterol<br><br><b>Oral:</b><br>terbutaline | MAXAIR (pirbuterol)<br>PROAIR RESPICLICK (albuterol)<br>VENTOLIN HFA (albuterol)<br>XOPENEX HFA (levalbuterol)<br><br>ARCAPTA Neohaler (indacaterol) <sup>CL</sup><br>STRIVERDI RESPIMAT (olodaterol)<br><br>levalbuterol<br>BROVANA (arformoterol)<br>PERFOROMIST (formoterol )<br><br>albuterol<br>albuterol ER<br>metaproterenol  |
| <b>COLONY STIMULATING FACTORS</b>    | GRANIX (tbo-filgrastim)<br>LEUKINE (sargramostim)<br>NEUPOGEN (filgrastim)<br>NEULASTA (pegfilgrastim)   | ZARXIO (filgrastim)  |
| <b>CONTRACEPTIVES, ORAL</b>          | All agents are recommended<br>preferred at this time.  |  |
| <b>COPD AGENTS</b>                   | albuterol/ipratropium<br>ATROVENT HFA (ipratropium)<br>COMBIVENT RESPIMAT<br>(albuterol/ipratropium)<br>ipratropium nebulizer solution<br>SPIRIVA (tiotropium)   | ANORO ELLIPTA<br>(umeclidium/vilanterol)<br>BEVESPI AEROSPHERE<br>(glycopyrrolate/formoterol)<br>DALIRESP (roflumilast) <sup>CL</sup><br>INCRUSE ELLIPTA (umeclidinium)<br>SEEBRI NEOHALER (glycopyrrolate)<br>SPIRIVA RESPIMAT (tiotropium)<br>STIOLITO RESPIMAT<br>(tiotropium/olodaterol)<br>TUDORZA PRESSAIR (aclidinium)<br>UTIBRON NEOHALER<br>(glycopyrrolate/indacatrol) |

|  |   |  |
|--|---|--|
| <b>COUGH AND COLD AGENTS</b>               | No agents are recommended to be preferred at this time.   | <p>All products are non-preferred.</p> <p>The Idaho Medicaid Pharmacy and Therapeutics Committee has recommended not to approve cough and cold medications due to the absence of evidence establishing clinical efficacy and safety.</p> <p>Products containing decongestants are excluded from coverage.</p>  |
| <b>CYTOKINE &amp; CAM ANTAGONISTS</b>      | <p><b>COSENTYX (secukinumab)</b></p> <p>HUMIRA (adalimumab)</p>   | <p>ACTEMRA (tocilizumab)</p> <p>ARCALYST (rilonacept)</p> <p>CIMZIA (certolizumab)</p> <p><b>ENBREL (etanercept)</b></p> <p>ENTYVIO (vedolizumab)</p> <p>ILARIS (canakinumab)</p> <p><b>INFLECTRA (infliximab)</b></p> <p>KINERET (anakinra)</p> <p>ORENCIA (abatacept)</p> <p>OTEZLA (apremilast)</p> <p>REMICADE (infliximab)</p> <p>SIMPONI ARIA (golimumab)</p> <p>SIMPONI SQ (golimumab)</p> <p>STELARA (ustekimumab)</p> <p><b>TALZ (ixekizumab)</b></p> <p>XELJANZ (tofacitinib)</p> <p><b>XELJANZ XR (tofacitinib)</b></p> |
| <b>EPINEPHRINE, SELF-INJECTED</b>          | <p>epinephrine</p> <p>EPIPEN</p> <p>EPIPEN JR</p>   |  |
| <b>ERYTHROPOIESIS STIMULATING PROTEINS</b> | <p>ARANESP (darbepoetin)</p> <p>PROCRIT (rHuEPO)</p>  | <p>EPOGEN (rHuEPO)</p>   |
| <b>GLUCOCORTICOIDS, INHALED</b>            | <p>ASMANEX Twisthaler</p> <p>PULMICORT RESPULES<sup>CL</sup> (budesonide) 0.25, 0.5 mg</p> <p>QVAR (beclomethasone)</p> | <p><b>AEROSPAN (flunisolide)</b></p> <p>ALVESCO (ciclesonide)</p> <p>ARNUITY ELIPTA (fluticasone)</p> <p>ASMANEX (mometasone) HFA budesonide respules 0.25, 0.5 mg, <b>1 mg</b></p> <p>FLOVENT (fluticasone)</p> <p>PULMICORT (budesonide)</p>   |

|   |  |   |
|---|--|---|
|   |  | Flexhaler<br>PULMICORT RESPULES<br>(budesonide) 1 mg  |
| <b>GLUCOCORTICOID /BRONCHODILATOR COMBINATIONS<sup>CL</sup></b> | ADVAIR (fluticasone/salmeterol) <sup>CL</sup><br>SYMBICORT (budesonide/formoterol) <sup>CL</sup>   | BREO ELLIPTA<br>(fluticasone/vibanterol) <sup>CL</sup><br>DULERA<br>(mometasone/formoterol) <sup>CL</sup>   |
| <b>HEPATITIS C (Direct-Acting Anti-Viral Agents)</b>            | EPCLUSA (sofosbuvir, velpatasvir) <sup>CL</sup><br>(genotype 2 and 3)<br>HARVONI (ledipasvir, sofosbuvir) <sup>CL</sup><br>(genotype 1)<br>VIEKIRA PAK<br>(dasbuvir, ombitasvir, paritaprevir, ritonavir) <sup>CL</sup> (genotype 1)<br>VIEKIRA XR (dasabuvir, ombitasvir, paritaprevir, ritonavir) <sup>CL</sup><br>(genotype 1)  | DAKLINZA (daclatasvir) <sup>CL</sup><br>OLYSIO (simeprevir) <sup>CL</sup><br>SOVALDI (sofosbuvir) <sup>CL</sup><br>TECHNIVIE (ombitasvir, paritaprevir, ritonavir) <sup>CL</sup><br>ZEPATIER (elbasvir/grazoprevir) <sup>CL</sup>   |
| <b>IMMUNE GLOBULINS</b>   | CYTOGAM (cytomegalovirus immune globulin) intravenous solution <sup>CL</sup><br>FLEBOGAMMA DIF intravenous solution <sup>CL</sup><br>GAMASTAN S/D intramuscular <sup>CL</sup><br>GAMMAGARD LIQUID injection solution <sup>CL</sup><br>GAMMAPLEX intravenous solution <sup>CL</sup><br>GAMUNEX-C injection solution <sup>CL</sup><br>HEPAGAM B (hepatitis B immune globulin) intramuscular <sup>CL</sup><br>HIZENTRA subcutaneous solution <sup>CL</sup><br>PRIVIGEN intravenous solution <sup>CL</sup><br>VARIZIG (Varicella-Zoster immune globulin) intramuscular <sup>CL</sup> | BABYBIG intravenous solution <sup>CL</sup><br>BIVIGAM intravenous solution <sup>CL</sup><br>CARIMUNE NF nanofiltered powder for intravenous solution <sup>CL</sup><br>CUVITRU subcutaneous solution <sup>CL</sup><br>GAMMAGARD S/D powder for intravenous solution <sup>CL</sup><br>GAMMAKED injection solution <sup>CL</sup><br>HYQVIA subcutaneous solution <sup>CL</sup><br>OCTAGAM intravenous solution <sup>CL</sup> |
| <b>IMMUNOMODULATORS, ASTHMA</b>                                 | No agents are recommended to be preferred at this time.  | XOLAIR (omalizumab) <sup>CL</sup><br>CINQUAIR (reslizumab) <sup>CL</sup><br>NUCALA (mepolizumab) <sup>CL</sup>  |
| <b>INTRANASAL RHINITIS AGENTS</b>                               | fluticasone<br>ipratropium<br>PATANASE (olopatadine)   | azelastine<br>BECONASE AQ (beclomethasone)<br>budesonide<br>DYMISTA (azelastine/fluticasone)<br>flunisolide<br>mometasone<br>olopatadine<br>OMNARIS (ciclesonide)<br>QNASL (beclomethasone)   |

|                              |   |  |
|------------------------------|---|--|
|                              |   | <b>TICANASE (fluticasone)</b><br>triamcinolone<br>VERAMYST (fluticasone)<br>ZETONNA (ciclesonide )   |
| <b>LEUKOTRIENE MODIFIERS</b> | montelukast tabs, chewable tabs   | montelukast granules<br>zafirlukast<br>ZYFLO CR (zileuton)   |
| <b>NSAIDS</b>                | diclofenac SR<br>flurbiprofen<br>ibuprofen (Rx only)<br>INDOCIN (indomethacin) suspension<br>indomethacin IR<br>meloxicam<br>MOBIC (meloxicam) suspension<br>nabumetone<br>naproxen (Rx only)<br>naproxen EC<br>sulindac<br>VOLTAREN Gel (diclofenac) <sup>CL</sup> | celecoxib<br><b>DERMACINRX LEXITRAL (diclofenac) topical soln<sup>CL</sup></b><br>diclofenac gel<br>diclofenac IR<br>diclofenac solution<br>diclofenac/misoprostol<br>diflunisal<br>DUEXIS (ibuprofen/famotidine) <sup>CL</sup><br>etodolac IR<br>etodolac SR<br>fenoprofen<br>FLECTOR (diclofenac) <sup>CL</sup> patches<br>INDOCIN (indomethacin) rectal<br>indomethacin ER<br>ketoprofen ER<br>ketoprofen IR<br><b>ketorolac</b><br>meclofenamate<br>mefenamic acid<br>meloxicam suspension<br>NAPRELAN (naproxen)<br>naproxen CR (375 and 500mg)<br>naproxen sodium<br>oxaprozin<br>PENNSAID (diclofenac) <sup>CL</sup> topical solution<br><b>piroxicam</b><br>SPRIX (nasal ketorolac)<br>TIVORBEX (indomethacin)<br>tolmetin<br><b>VIVLODEX (meloxicam)</b><br>VIMOVO<br>(naproxen/esomeprazole)<br>ZIPSOR (diclofenac)<br>ZORVOLEX (diclofenac) |

|   |   |   |
|---|---|---|
| <b>OPHTHALMIC ANTIBIOTICS</b>                     | bacitracin/polymyxin<br>CILOXAN (ciprofloxacin) ointment<br>ciprofloxacin<br>erythromycin<br>gentamicin<br>MOXEZA (moxifloxacin)<br>ofloxacin<br>polymyxin/trimethoprim<br>sulfacetamide solution<br>tobramycin solution<br>TOBEX (tobramycin) Ointment<br>VIGAMOX (moxifloxacin) | AZASITE (azithromycin)<br>bacitracin<br>BESIVANCE (besifloxacin)<br>CILOXAN solution (ciprofloxacin)<br>gatifloxacin<br>levofloxacin<br>NATACYN (natamycin)<br>neomycin/bacitracin/polymyxin<br>neomycin/polymyxin/gramicidin<br>sulfacetamide ointment<br>ZYMAXID (gatifloxacin) |
| <b>OPHTHALMIC ANTIBIOTIC-STERIOD COMBINATIONS</b> | BLEPHAMIDE<br>(sulfacetamide/prednisolone)<br>neomycin/polymyxin/dexamethasone<br>sulfacetamide/prednisolone<br>TOBRADEX<br>(tobramycin/dexamethasone) ointment<br>and suspension   | BLEPHAMIDE S.O.P.<br>(sulfacetamide/prednisolone)<br>neomycin/bacitracin/polymyxin/HC<br>neomycin/polymyxin /HC<br>PRED-G<br>(prednisolone/gentamicin)<br>TOBRADEX ST<br>(tobramycin/dexamethasone )<br>tobramycin/dexamethasone<br>suspension<br>ZYLET (tobramycin/loteprednol)  |
| <b>OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS</b>    | ALREX (loteprednol)<br>cromolyn<br>PATADAY (olopatadine)<br>PAZEO (olopatadine)   | ALOCRIL (nedocromil)<br>ALOMIDE (Iodoxamide)<br>azelastine<br>BEPREVE (bepotastine)<br>EMADINE (emedastine)<br>epinastine<br>ketotifen RX<br>LASTACFT (alcaftadine)<br>olopatadine<br>PATANOL (olopatadine)   |
| <b>OPHTHALMIC ANTI-INFLAMMATORIES</b>             | dexamethasone<br>diclofenac<br>DUREZOL (difluprednate)<br>fluorometholone<br>flurbiprofen<br>ketorolac 0.5 %<br>ketorolac LS 0.4%<br>LOTEMAX (loteprednol) drops<br>MAXIDEX (dexamethasone)   | ACUVAIL (ketorolac) 0.45%<br>bromfenac<br>BROMSITE (bromfenac)<br>FLAREX (fluorometholone)<br>FML FORTE (fluorometholone)<br>FML S.O.P. (fluorometholone)<br>ILEVRO (nepafenac)<br>LOTEMAX (loteprednol) gel,<br>ointment   |

|   |   |   |
|---|---|---|
|   | PRED MILD (prednisolone acetate)<br>prednisolone acetate  | NEVANAC (nepafenac)<br>PRED FORTE (prednisolone)<br>prednisolone sodium phosphate<br>PROLENSA (bromfenac)<br>VEXOL (rimexolone)   |
| <b>OPHTHALMICS,<br/>ANTI-INFLAMMATORY/<br/>IMMUNOMODULATORS</b> | RESTASIS (cyclosporine) <sup>CL</sup>   | XIIDRA (lifitegrast) <sup>CL</sup>  |
| <b>OPHTHALMICS, GLAUCOMA<br/>DRUGS</b>                          | ALPHAGAN P (brimonidine) 0.1 %,<br>0.15%<br>AZOPT (brinzolamide)<br>BETIMOL (timolol)<br>brimonidine 0.1%<br>carteolol<br>COMBIGAN (brimonidine/timolol)<br>dorzolamide<br>dorzolamide/timolol<br>ISTALOL (timolol)<br>latanoprost<br>levobunolol<br>metipranolol<br>PHOSPHOLINE IODINE<br>(echothiophate)<br>pilocarpine<br>SIMBRINZA (brimonidine tartrate/<br>brinzolamide )<br>timolol<br>TRAVATAN Z (travoprost) | apraclonidine<br>betaxolol 0.5% solution<br>BETOPTIC S (betaxol) 0.25%<br>suspension<br>bimatoprost<br>brimonidine P 0.15%<br>COSOPT PF Droperettes<br>LUMIGAN (bimatoprost) – all<br>strengths<br>PILOPINE-HS (pilocarpine) Gel<br>RESCULA (unoprostone)<br>travoprost 2.5, 5 ml<br>ZIOPTAN (tafluprost) |
| <b>OTIC ANTIINFECTIVES AND<br/>ANESTHETICS</b>                  | acetic acid<br>acetic acid/aluminim   | acetic acid/hydrocortisone  |
| <b>OTIC ANTIBIOTICS</b>   | CIPRODEX<br>(ciprofloxacin/dexamethasone)<br>ciprofloxacin<br>CIPRO HC<br>(ciprofloxacin/hydrocortisone)<br>COLY-MYCIN S<br>(colistin/neomycin/HC)<br>CORTISPORIN TC<br>(colistin/ hydrocortisone/ neomycin/<br>thonzonium)<br>neomycin/polymyxin/hydrocortisone  | CORTISPORIN SOLUTION<br>(bacitracin/ hydrocortisone/<br>neomycin/ polymyxin)<br>ofloxacin<br>OTOVEL (ciprofloxacin/fluocinolone)  |

|  |  |  |
|--|--|--|
| <b>PAIN, OTHER</b>                               | duloxetine <sup>CL</sup> 20 mg, 30mg, 60 mg<br>gabapentin capsule, tablet  | duloxetine <sup>CL</sup> 40 mg (for Irenka)<br>gabapentin solution<br>GRALISE (gabapentin) <sup>CL</sup><br>HORIZANT (gabapentin enacarbil)<br><sup>CL</sup><br>IRENKA (duloxetine) <sup>CL</sup><br><b>lidocaine transdermal</b> <sup>CL</sup><br>LYRICA (pregabalin) <sup>CL</sup><br>SAVELLA (milnacipran) <sup>CL</sup>  |
| <b>SEDATIVE HYPNOTICS</b>                        | <b>ROZEREM (ramelteon)</b><br>zolpidem IR  | BELSOMRA (suvorexant)<br>DORAL (quazepam)<br>EDULAR (zolpidem) SL<br>estazolam<br>eszopiclone<br>flurazepam<br>HETLIOZ (tasimelteon)<br>INTERMEZZO (zolpidem) sublingual<br>SILENOR (doxepin)<br><b>temazepam all strengths</b><br>triazolam<br>zaleplon<br>zolpidem ER<br>zolpidem SL<br>ZOLPIMIST (zolpidem)   |
| <b>STIMULANTS AND RELATED DRUGS<sup>CL</sup></b> | ADDERALL XR (amphetamine salt combination) <sup>CL</sup><br>amphetamine salt combination IR <sup>CL</sup><br>clonidine IR<br>FOCALIN (dexmethylphenidate) <sup>CL</sup><br>FOCALIN XR (dexmethylphenidate) <sup>CL</sup><br>guanfacine ER<br>guanfacine IR<br>METADATE CD (methylphenidate) <sup>CL</sup><br>methylphenidate IR tablets <sup>CL</sup><br>methylphenidate ER (generic for Concerta) <sup>CL</sup><br>methylphenidate ER (generic for Ritalin SR) <sup>CL</sup><br>QUILLIVANT XR (methylphenidate) solution <sup>CL</sup><br>STRATTERA (atomoxetine) <sup>CL</sup><br>VYVANSE (lisdexamfetamine) <sup>CL</sup> | <b>ADZENYS XR ODT (amphetamine)</b> <sup>CL</sup><br>amphetamine salt combination ER <sup>CL</sup><br>APTENSIO XR (methylphenidate) <sup>CL</sup><br><b>armodafinil</b> <sup>CL</sup><br>clonidine ER <sup>CL</sup><br>DAYTRANA (methylphenidate) <sup>CL</sup><br>dexmethylphenidate <sup>CL</sup><br>dexmethylphenidate XR <sup>CL</sup><br>dextroamphetamine IR, ER <sup>CL</sup><br>dextroamphetamine solution <sup>CL</sup><br><b>DYANAVEL XR (amphetamine)</b> <sup>CL</sup><br>EVEKEO (amphetamine) <sup>CL</sup><br>KAPVAY (clonidine ER) <sup>CL</sup><br>methylphenidate CD (generic Metadate CD) <sup>CL</sup><br>METHYLIN (methylphenidate) chewable tablets <sup>CL</sup><br>methylphenidate chewable tablets |

|                          |  |  |
|--------------------------|--|--|
|                          |  | methylphenidate ER <sup>CL</sup><br>(generic Ritalin LA)<br>methylphenidate solution <sup>CL</sup><br>modafanil <sup>CL</sup><br>NUVIGIL (armodafanil) <sup>CL</sup><br>PROCENTRA (dextroamphetamine<br>solution) <sup>CL</sup><br><b>QUILLICHEW ER</b><br><b>(methylphenidate)</b> <sup>CL</sup><br>ZENZEDI (dextroamphetamine) <sup>CL</sup> |
| <b>TOBACCO CESSATION</b> | bupropion SR 150 mg<br>CHANTIX (varenicline) <sup>CL</sup><br>nicotine gum OTC (nicotine<br>polacrilex)<br>nicotine lozenge OTC buccal<br>(nicotine polacrilex)<br>nicotine patch OTC (nicotine) | NICOTROL inhalation (nicotine)<br>NICOTROL NS nasal (nicotine)   |

Note: Changes are indicated by highlighted area. Non-preferred drugs require failure of 1, 2 or 3 preferred agents for prior authorization approval. Those drugs with a <sup>CL</sup> also have clinical prior authorization criteria for use associated with them.